



x10sive automation



CK2005/44935/23

www.x10sive.co.za

info@x10sive.co.za


















12, 10th Avenue Edenvale









Keith Coetzee 073 674-0018 Shaun Attwell 073 674-0030
















All prices Exclude VAT & postage






CCD Cameras			
Weatherproof / with night Vision			Retail
YC-25H		Bullet, 1/3" SONY super had ccd day/night water proof , 420 TVL, 1 Lux Colour / 0 Lux up to 20m	R 1,110.06
UL-6320S		Bullet, 1/3" SONY super had ccd day/night water proof , 420 TVL, 1 Lux Colour / 0 Lux up to 12m	R 912.83
YC-40		1/4 CCD Color Weatherproof IR Camera 420TVL/1.0LUX/8 meters	R 698.84
YC-28UH		1/4 SONY Color CCD /420TVL/IR 40meters/Weatherproof Camera /with 3.5-8mm Varifocus lens	R 1,133.52
YC-28H		1/3 SonyColor CCD /420TVL/IR 40meters/Weatherproof Camera /with 3.5-8mm Varifocus lens 40 m IR	R 1,657.37
YB-10P		CCD B/W LG1/3 "0LUX 420TV High Power 12 PCS IR lamp / 16 Metres	R 367.98
Weatherproof / without Night Vision			
YC-26S		1/4 CCD Color Weatherproof Bullet Camera 420TVL/1.0LUX/with 3.6mm lens	R 635.78
YC-26SP		1/4 CCD Color Weatherproof Bullet Camera 420TVL/1.0LUX/with pinhole 3.7mm lens	R 692.94
CCD Box Cameras (Without Lenses) - Video and DC Lens compatible			
UL_B_20_DN		1/3 " SONY Super HAD 480 TVL, 0.5 Lux, High Res, High Definition, Day/Night, Dual Voltage 12DC to 24VAC	R 1,377.93
UL_B_801_DN		1/3 " SONY Super HAD 480 TVL, 0.1 Lux, High Res, High Contrast, Day/Night, Dual Voltage 12DC to 24VAC	R 997.64
UL_B_339_DN		1/3 " SONY Exview 420 TVL, 0.01 Lux, Extra Low Light, Day/Night, Dual Voltage 12DC to 24VAC	R 1,259.39
UL_B_9320S		1/3 " SONY HAD 420 TVL, 0.5 Lux, Med High Res , Day/Night, Voltage 12VDC	R 710.37
UL_B_9320SIR_A		1/3 " SONY Super HAD 480 TVL, 0.05 Lux, High Res , Day/Night, Voltage 12VDC WITH AUDIO	R 1,334.55
UL_BS_388D		1/3 " SONY Super HAD 520 TVL, 0.8 Lux, Super High Res, High Definition , 12VDC	R 1,885.41

CCD Box Cameras (Without Lenses) - Video and DC Lens compatible (Continued)			
UL_BS_A9		1/2 " SONY Super HAD 540 TVL, 0.8 Lux, ULTRA High Res, High Definition , 12VDC	R 3,344.27
UL_BS_522_D		1/4 " SONY Super HAD 470 TVL, 0.5 Lux 22xOptical Auto Iris , Auto Focus Zoom (Built In Lens 3,9 mm to 85.5 mm) 12 VDC	R 2,365.99
UL_BS_522_DN		1/4 " SONY Super HAD 0.01 Lux 470 TVL, 22x Optical Auto Iris , Day Night Auto Focus Zoom (Built In Lens 3,9 mm to 85.5 mm) 12VDC	R 2,555.11
CP-315		1/4" SHARP CCD/ 420TVL/1.0 LUX/Color/ SONY Housing	R 558.24
Dome Cameras			
DOME		Dummy Dome Housing without Cord	R 71.50
DP-914		Color 1/4" Sony CCD/420 TVL/.8LUX/3.6mm lens/2.5 inch Dome	R 539.62
DP-915		Color 1/3" SONY CCD/420 TVL/.8LUX/3.6mm lens/4 inch Dome	R 698.84
DP-918		Color 1/4" CCD/420 TVL /3.6mm lens / 4 inch Dome/ 10 meters Infrared /High Power LED	R 612.23
UL_8380S		Color 1/3" SONY CCD High Res 480 TVL/ 0.5 LUX/3.6mm lens/4 inch Dome	R 1,238.39
DP-917AI		Color 1/3" SONY CCD/420 TVL/0.8LUX/ /Dome/with 3.5-8 mm DC drive auto iris lens	R 1,212.55
DP-920		Color 1/4" SHARP CCD/420 TVL/1.0LUX/3.6mm lens/UFO housing - Mounts into the ceiling, looks great with 12V downlights	R 659.33
Vandal Proof Domes			
DP-925H		Color 1/3" SONY CCD/420 TVL/1.0LUX/3.6 mm lens/Vandal Dome/ High Impact Aluminium Housing	R 1,047.21
DP-950IR		Color 1/3" SONY CCD/420 TVL/0LUX/3.6 mm lens/ 20 meters IR/Vandal Dome/Reflection resisitant / High Impact Aluminium Housing	R 1,429.40
Mini PTZ and Accessories			
UL VP JT 4001		Color 1/3" SONY CCD/420 TVL/1.0LUX/3.6 mm lens/ Vandal Dome/ Waterproof/ High Impact Aluminium Housing, Continuous 360 Rotation ,Upright 90Degrees,	R 1,987.70
UL VP JT 4001 Housing		High Impact ALLUMINUM L Bracket Housing	R 328.90
PTZ-203		Color 1/3" SONY CCD/480 TVL/0.1LUX/ /Dome 356 x 90 Degrees Pan & Tilt, RS485, Pelco	R 1,716.00
PTZ-KB301		Infrared RS485 / Pelco PTZ controller / 99 Device control / Easy LCD display	R 1,131.13

Pan Tilt Scanners & Switch Boxes			
UL- IN-SCAN 	Applications 	Universal Indoor Pan Only Scanner, Fits IR-Bullet, Box, Dome Cameras) Converts any static camera to rotate	R 357.50
UL-LB-SCAN 		Universal L Bracket Scanner (Pans & tTilts) Converts any static camera to rotate and tilt	R 557.70
UL-1 CH-SCAN 		Single Channel Scanner (1 Camera) Operates with UL-IN-SCAN & UL-LB-SCAN OR COMBINED	R 271.70
UL-5 CH-SCAN 		Multi Channel Scanner (5 Cameras) Operates with UL-IN-SCAN & UL-LB-SCAN OR COMBINED	R 985.27
PAN TILT ZOOM Cameras with Patented AUTO OBJECT TRACKING & AUTO FLIP THRU 180 Degrees			
UL-PTZ-1800 18x Optical 		9 Inch 480 TVL PTZ , PAL/NTSC, Pan 0-360 Degree Continuous,Tilt 0-90 Degrees, Auto Swtich from 0 to 54 Preset Positions Sequentially ,ptz Scan from 55 to 63 preset positions automatically, RS 485 12V Power Supply , BLC & AGC Auto & Manual , IR Cut Filter .	R 12,083.50
UL-PTZ-2600 26x Optical 		9 Inch 480 TVL PTZ , PAL/NTSC, Pan 0-360 Degree Continuous,Tilt 0-90 Degrees, Auto Swtich from 0 to 54 Preset Positions Sequentially ,ptz Scan from 55 to 63 preset positions automatically, RS 485 12V Power Supply , BLC & AGC Auto & Manual , IR Cut Filter .	R 14,285.70
UL-QJ-KB-301 		PTZ Keyboard, 3D Control Joy stick, LCD Display ,Easy Operate & Control Keypad ,RS 485 , Supports 64 Cameras.	R 3,560.70
Covert Operation Cameras			
NCL-10 		Color 1/4" CCD/420 TVL/1 LUX / pinhole lens/PIR Housing	R 645.13
NCL-10B 		B/W 1/3" Interline CCD/420 TVL/0.1LUX/pinhole lens/PIR Housing	R 481.51
TE-810 		Color 1/4" CCD/420 TVL/1.0LUX/3.6mm lens, interchangeable lens	R 596.94
MC-20A 		1/4 CCD Color Pinhole Camera 420TVL/1.0LUX/ Audio /with pinhole lens	R 537.41
UL-S-420-316-DN 		Colour Miniature Snake 1/3 Sony CCD /420 TVL/Pinhole Lens /D1 Lux, N 5 Lux16 mm x 16 mm Cube Camera NEW	R 1,421.42
Wireless Video Transmitters			
SW-M100-24 		100mW video/audio transmitter/receiver/2.4G < 200m Video and Stereo Audio - Line of Sight	R 693.66
SW-M1000-24 		1000mW video/audio transmitter/receiver/2.4G < 900m Video and Stereo Audio - Line of Sight	R 837.51
Digital Video Processors			
QC-904S 		4CH Color Quad/Alarm/PIP/DC 12V with Video Out / Video In for VCR Playback through Quad (Excludes SAP-01 12V power Supply)	R 1,126.65
SC-816 		16CH Color Multiplexer/Alarm/PIP/DC12 V /PAL / VCR In for VCR Playback through Quad	R 2,736.23

I / O Alarm / Controllers / Interface			
TS-IO		8 Channel Input / 8 Channel Relay Output Box with addressable RS485 communications port with SDK to easily build into your project (compatible with DS4004HCI and DS4008HCI hardware compression Card software)	R 1,320.84
Cable / Bracket & Power Accessories			
BALUN		Balun/600 Meters (A PAIR) - Use for twisted pair cable or CAT5 up to 600m	R 150.82
SAB-05		Full Direction Galvanised Bracket for YC series	R 51.48
SAB-01		Plastic Bracket	R 34.68
SAP-02		INPUT: 100~220V AC -OUTPUT: 12V DC - 1000 mA	R 77.85
SAR-01		RS232 to 485 Converter for all PTZ Dome Units and RS485 Alarm IO Boxes	R 224.65
CAMERA Lenses			
No Iris - Fixed Lens - Manual Focus			
UL0612NI		Fixed Lens 6.0 mm, F1,2 No Iris Adustment, Adjustable Focus	R 86.21
UL0812NI		Fixed Lens 8.0 mm F1,2 No Iris Adustment, Adjustable Focus	R 86.21
UL1212NI		Fixed Lens 12.0 mm F1,2 No Iris Adustment, Adjustable Focus	R 86.21
UL1612NI		Fixed Lens 16,0 mm F1,2 No Iris Adustment, Adjustable Focus	R 86.21
Manual Iris - Fixed Lens - Manual Focus			
UL0412		Manual Lens 4.0mm F1,2 Manual Iris adjustment, Adjustable Focus	R 144.99
UL0812		Manual Lens 8.0mm F1,2 Manual Iris adjustment, Adjustable Focus	R 144.99
UL1612		Manual Lens 16.0mm F1,2 Manual Iris adjustment, Adjustable Focus	R 155.66
UL5018		Manual Lens 50.0mm F1,8 Manual Iris adjustment, Adjustable Focus	R 466.48
Manual Iris - Variable Zoom - Manual Focus			
ULVO358		Manual Zoom Lens 3,5 - 8mm F1,4 Manual Iris Adjustment, Adjustable Focus	R 191.22
ULV0615		Manual Zoom Lens 6 - 15mm F1,4 Manual Iris Adjustment, Adjustable Focus	R 226.79
Auto Iris - Variable Zoom - Manual Focus			
UL02812NB		Auto DC Iris Lens 2.8 - 12mm F1,4 Manual Zoom, Adjustable Focus	R 471.24
UL03508NB		Auto DC Iris Lens 3,5 - 8mm F1,4 Manual Zoom, Adjustable Focus	R 385.61
UL06016NB		Auto DC Iris Lens, 6 - 16mm, F1,2, Manual Zoom, Adjustable Focus	R 472.49
UL06060NB		Auto DC Iris Lens, 5 - 50mm, F1,2, Manual Zoom, Adjustable Focus	R 1,013.34
UL07070NB		Auto DC Iris Lens, 5 - 50mm, F1,2, Manual Zoom, Adjustable Focus	R 1,169.24
Auto Iris - Fixed Lens - Manual Focus			
UL1612NB		Auto DC Iris Lens, 16mm, F1,2, Adjustable Focus	R 340.30
UL1612		Auto Video Iris Lens, 16mm, F1,2, Adjustable Focus	R 340.30
Board Camera & Dome Camera Lens			
ULMV3.6		Board Mini Lens, 3,6 mm Suitable for Dome & Board Camera	R 80.08
ULMV6		Board Mini Lens, 6 mm Suitable for Dome & Board Camera	R 80.08
ULMV8		Board Mini Lens, 8 mm Suitable for Dome & Board Camera	R 80.08

CMOS CAMERAS			
SS2000B-3		Wired - 350 TVL 0 Lux B/W Night Vision Micro Camera with Audio	R 193.05
SS2000A-3		Wired - 380TVL 1,5 Lux Colour Micro Camera with Audio & 9V Batt Conn	R 283.14
SS2000CS		Wired - 380TVL 1,5 Lux Colour Micro Pinhole Camera with Audio & 9V Batt Conn	R 283.14
SS2000BS		Wired - 350 TVL 0,5 Lux B/W Micro Pinhole Camera with Audio & 9V Batt Conn	R 193.05
SS2002H-4C		Wired - 380TVL 1,5/0 Lux Weatherproof Outdoor Colour Bullet Camera with Night Vision - 4m	R 398.64
SS2002H-4B		Wired - 380TVL 0 Lux B/W Weatherproof Outdoor Bullet Camera with Night Vision - 10m	R 308.27
XM2002		Wired - 420 TVL 1,5 Lux Gun Camera with Mirror / Backlight setting etc without Lens (Uses Video Driver Lens)	R 398.64
811A		Wireless - 380 line Colour Micro Camera with Audio kit with AV Wireless receiver and 2 x PSU, & 9V Batt Conn	R 646.63
812A		Wireless - 380 line Colour Micro Night Vision Camera with Audio kit with AV Wireless receiver and 2 x PSU, & 9V Batt Conn	R 707.23
MS 3200E		Mini Covert Microphone DC 12 V Highly Aggressive -44D-db @1000 hz	R 150.15
DVR Cards & Software solution			
AV800		4 to16 Channel 100 fps PCI capture Card	R 1,501.50
DVR2000		4 Channel 25 fps, Single Channel playback, Expandable up to 16 Channels (4 cards), Remote, Dial-in etc. (Almost Any Motherboard)	R 792.49
BDS2016		16 Channel 100 fps Software compression , Networkable, IE Browser, Timechart Graphical Playback function	R 3,932.50
 <p>Realtime Hardware Compression DVR Cards & Software solution any combination of cards can be added to create up to 64 channels Realtime Video and Audio Preview & playback (3 x 8 channels = 24 Channels @ 600fps, 4 x 8 + 1 x 4 = 36 Channels @ 900 fps)</p>			
ULTECH-RT-4		4 Channel 100fps Video & Audio, H.264 Compression up to 64 channels realtime (1440 fps) (3 cards for 12 Channel 300fps)	R 2,862.86
ULTECH-RT-8		8 Channel 200fps Video & Audio, H.264 Compression up to 64 channels realtime (1440 fps) (2 Cards for 16 Channel 400fps)	R 5,725.72
ULTECH-RT-16		16 Channel 400fps Video & Audio, H.264 Compression up to 64 channels realtime (1440 fps) (2 Cards for 32 Channel 800fps) Non Networkable	R 10,020.01
SOFTWARE		Software for 4 , 8, 16 channel with timechart playback / Cost per channel	R 71.50
Stand Alone Multichannel to HardDrive DVR (Digital Video Recording) - Excl HDD			
DVR773		4 Channrel DVR 25fps, Motion Detect, Schedule, Alarm Inputs / Output, 4 Audio Inputs, PIP, Zoom	R 3,916.95
DVR780		4 Channel Mpeg2 DVR 25 fps, Motion Detect, Schedule, Alarm Inputs, 4 Ch Audio, DVD Resolution 720 x 576, USB Backup, PIP, Zoom	R 4,849.45
DVR776		8 Channrel DVR 25 IPS, Motion Detect, Schedule, Alarm Inputs / Output, 4 Audio Inputs, PIP, Zoom, 2 x HDD Removable	R 6,191.90
DVR777		16 Channrel DVR 18 IPS, Motion Detect, Schedule, Alarm Inputs / Output, 4 Audio Inputs, PIP, Zoom, 2 x HDD Removable	R 7,637.19
Stand Alone Multichannel to HardDrive VCR/ DVR (Realtime Digital Video Recording) - Excl HDD			
DVR-8004		4 Channel Real Time Networkable DVR System,(100 fps), 25 fps / channel ,Audio, Web Interface, Motion Detect - Full System	R 8,580.00
DVR-8008		8 Channel Real Time Networkable DVR System, (200fps), 25 fps / channel, Audio , Web Interface, Motion Detect - Full System	R 12,870.00
DVR-800F		16 Channel Real Time Networkable DVR System, (400fps) 25 fps / channel ,Audio, Web Interface, Motion Detect - Full System	R 18,590.00

Ultimations NEW ATM/POS Overlay (Realtime Digital Video Recording) - Incl HDD			
UL ATM /POS DVR 		Series network disk video recorder is an excellent digital product special for ATM/POS/ COVERT Ops, ETC. Has Digital video& Audio on all 4 Channels. Operates as Stand alone or used to build a powerful surveillance network. Real time video & Audio preview, bi-directional voice communication . 5 " LCD Screen 5 Alarm in ,1 VGA Port ,1 USB, 1 Video & 1 Audio Out	R 11,425.70
Accessories			
CAB-01		Powerax cable MIL spec	R4.50
RG59		BNC connector, crimp	R3.99
New Items - Ordered on Request / We do carry limited stocks currently			
DP-919		Color 1/4" SHARP CCD/420 TVL/1.0LUX/3.6mm lens/smoke detector housing	R 597.67
		All Items carry a 1 year swop out warranty - warranties will not be entertained on goods incorrectly installed, and leads cut	